Author Index of Volume 476

Akhnoukh, T., 93
Alaoui Abdallaoui, I., C15
Alvarez-Valdés, A., 19
Apostolidis, C., 77
Aresta, M., 13
Aslanov, L.A., 189
Atmani, A., 47

Baldoli, C., C27
Balssa, F., C25
Baudry, D., C15
Beer, P.D., 63
Behrens, U., 101
Biagioni, R.N., 183
Bianchi, M., 7
Breunig, H.J., 47
Brocard, J., C12
Brusdeilins, N., C1
Burlakov, V.V., 197

Careri, M., 127
Carluccio, L.C., 7
Cifuentes, M.P., 133
Colton, R., 33

Dakternieks, D., 33
Danks, J.P., 63
Deeming, A.J., 121
Del Buttero, P., C27
Diemert, K., 173
Dormond, A., C15
Drew, M.G.B., 63
Durrant, M.C., 219

Ebert, K.H., 47
Ettel, F., 153, 207

Frambes, L., 215
Fraústo da Silva, J.J.R., C9
Frediani, P., 7
Frenzel, A., 73
Freude, B., 163
Friedrich, C., 93

Gajda, V., 55
García-Ruano, J.L., 19, 111
García, V., 41
Garralda, M.A., 41
Gautheron, B., 55
Giannoccaro, P., 13
Goetgheluck, S., C12
Görls, H., 197
Grévin, J., C23
Gryff-Keller, A., 231
Guarducci, R., 7

Hahn, T., 173
Hartung, H., 163
Hauser, C., 219
Hernández, R., 41
Hodgson, D.M., 1
Hor, T.S.A., C32
Hudecek, M., 55
Hughes, D.L., 219
Humphrey, M.G., 133
Huttner, G., 153, 207

Imhof, W., 207
Inoue, K., C30
Itoh, M., C30
Iwata, K., C30

Jäger, L., 163
Jeynes, T.P., 133
Joachim, J.E., 77
Jutzi, P., C1

Kabir, S.E., 121
Kalck, P., C23
Kanellakopulos, B., 77
Klimova, E.I., 189
Klingebiel, U., 73
Koutsantonis, G.A., 133
Krug, A., 163
Kubicki, M.M., 55
Kuchen, W., 173

Lam, C.F., C32
Leung, P.-H., C32
Licandro, E., C27
López-Solera, I., 19, 111
Lowack, R.H., 25
Luna, A.D., 183
Lüttke, W., 73

Maguire, M.J., 219
Maiorana, S., C27
Mangia, A., 127
Manini, P., 127
Martinez Garcia, M., 189
Masaguer, J.R., 19, 111
Matteoli, U., 145
McAleer, J.F., 63
Meleshonkova, N.N., 189
Meyer, D., 77
Miah, A., 121
Mitsuzuka, M., C30
Mok, K.F., C32
Monge, M.A., 41, 111
Mourad, Y., 47
Mugnier, Y., 47
Müller, J., 93
Murphy, J.L., 183

Navarro-Ranninger, C., 19, 111

Paganelli, S., 145
Pakkanen, T.A., C6
Pakkanen, T.T., C6
Papagni, A., C27
Pelinski, L., C12
Pellinghelli, M.A., C9
Piacenti, F., 7
Pieper, U., 73
Pinilla, E., 41
Polyakov, A.V., 197
Pombeiro, A.J.L., C9
Postnov, V.N., 189
Predieri, G., 127
Prejzner, J., 231

Qiao, K., 93

Raptis, K., 77
Rasinkangas, M., C6
Raston, C.L., 133
Rebizant, J., 77
Reeves, P., 215
Richard, P., 55
Richards, R.L., 219
Rodríguez, J.H., 19, 111
Rose, E., C25
Rose-Munch, F., C25
Rosenthal, U., 197
Rybakov, V.V., 189

Salvini, A., 7
Sappa, E., 127
Schäfer, M., 85
Schiemenz, B., 153, 207
Schollenberger, M., 153, 207
Scrivanti, A., 145
Shur, V.B., 197
Solans, X., 19
Struchkov, Yu.T., 197
Susanne, C., C25
Szewczyk, J., 231

Tiekink, E.R.T., 33
Tiripicchio, A., C9
Toma, Š., 55
Tommasi, I., 13

Uddin, K., 121
Uhlig, W., 225
Utsumi, T., C30

Viotte, M., 55
Vollhardt, K.P.C., 25
Vol'pin, M.E., 197

Wang, Y., C9
Werner, H., 85
Wiederhold, M., 101
Wiśniewski, K., 231
Wolf, J., 85
Wright, J., 215

Yanovsky, A.I., 197

Zanotti-Gerosa, A., C27
Zhou, M., C32
Zhu, H., 33
Ziegler, M.L., 77
Zsolnai, L., 153, 207

Subject Index of Volume 476

Acetate
Reactivity of acetate-bridged cyclopalladated complexes. ^{1}H and ^{13}C NMR studies of some monomeric derivatives of *N*-(4-methoxyphenyl)-α-benzoylbenzylideneamine (J.L. García-Ruano, I. López-Solera, J.R. Masaguer, M.A. Monge, C. Navarro-Ranninger and J.H. Rodríguez), 111

Addition
Cationic arenetricarbonylmanganese complexes: addition of α-anionic Fischer type carbenes (F. Rose-Munch, C. Susanne, F. Balssa and E. Rose), C25

Alkene
On the mechanism of the platinum(0)–acid catalysed hydrogenation of alkenes (U. Matteoli, A. Scrivanti and S. Paganelli), 145

Alkyne
Dehydrogenative coupling reactions between hydrosilanes and monosubstituted alkynes catalyzed by solid bases (M. Itoh, M. Mitsuzuka, T. Utsumi, K. Iwata and K. Inoue), C30

Amides
The synthesis and X-ray study of (η^6-benzamide)- and (η^6-phenylacetamide)tricarbonyl chromium complexes. Structural effects of the substituent (M.M. Kubicki, P. Richard, B. Gautheron, M. Viotte, Š. Toma, M. Hudecek and V. Gajda), 55

Borane
A simple route to chiral ferrocenyl alcohols (J. Wright, L. Frambes and P. Reeves), 215

Carbamate
Carbamoyl complexes as a source of isocyanates or carbamyl chlorides (P. Giannoccaro, I. Tommasi and M. Aresta), 13

Carbamyl chloride
Carbamoyl complexes as a source of isocyanates or carbamyl chlorides (P. Giannoccaro, I. Tommasi and M. Aresta), 13

Carbene
Cationic arenetricarbonylmanganese complexes: addition of α-anionic Fischer type carbenes (F. Rose-Munch, C. Susanne, F. Balssa and E. Rose), C25
1,3-Dipolar cycloaddition reactions of alkenylalkoxycarbene chromium complexes (C. Baldoli, P. Del Buttero, E. Licandro, S. Maiorana, A. Papagni and A. Zanotti-Gerosa), C27
Übergangsmetall-Heteroallen-Komplexe. XXVII. Bis(trifluormethyl)keten als Komplexligand (M. Wiederhold und U. Behrens), 101

Carbodiimide
Pseudoelementverbindungen. VI. Organometallierung von Arylpseudochalkogenosulfonaten $[RSO_2Y]^-$ (Y = NCN, $C(CN)_2$) —Kristall- und Molekülstruktur von 4-$MeC_6H_4SO_2$–NCN–$SnMe_3 \cdot H_2O$ (L. Jäger, B. Freude, A. Krug und H. Hartung), 163

Carbonyl
Cationic arenetricarbonylmanganese complexes: addition of α-anionic Fischer type carbenes (F. Rose-Munch, C. Susanne, F. Balssa and E. Rose), C25
Preparation and crystal structure of *fac*-[Mo(bpt)$(CO)_3$][bpt = 1,3-bis(2-pyridyl)-1-thiapropane] (M.C. Durrant, C. Hauser, D.L. Hughes, M.J. Maguire and R.L. Richards), 219
Protonation of diphosphine and phosphite derivatives of dodecacarbonyltriruthenium (S.E. Kabir, A. Miah, K. Uddin and A.J. Deeming), 121
Reactions of coordinated ligands. VIII. Phosphinoformic acids RR′PCOOH (R, R′ = organyl, H), the still unknown P-analogues of carbaminic acids, stabilized as ligands in complexes $(CO)_5$MPRR′COOH (M = Cr, W) (K. Diemert, T. Hahn and W. Kuchen), 173
Ruthenium carbonyl cluster complexes with oxygen ligands. Reactions between $Ru_3(CO)_{12}$ and 4-methoxyphenol or 2-naphthol. Crystal structure of $Ru_4(\mu_3\text{-}OC_6H_4OMe\text{-}4)_2(\mu\text{-}Cl)(\mu\text{-}OC_6H_4OMe\text{-}4)(CO)_{10}$, an unusual mixed-valence cluster complex (T.P. Jeynes, M.P. Cifuentes, M.G. Humphrey, G.A. Koutsantonis and C.L. Raston), 133
The first ruthenium carbonyl derivative of fullerene: (η^2-C_{60})$Ru(CO)_4$ (M. Rasinkangas, T.T. Pakkanen and T.A. Pakkanen), C6
The synthesis and X-ray study of (η^6-benzamide)- and (η^6-phenylacetamide)tricarbonyl chromium complexes. Structural effects of the substituent (M.M. Kubicki, P. Richard, B. Gautheron, M. Viotte, Š. Toma, M. Hudecek and V. Gajda), 55

Carbonyls
Applications of HPLC–MS to carbonyl clusters of the iron triad. The behaviour of dinuclear "flyover-bridged" iron compounds (M. Careri, A. Mangia, P. Manini, G. Predieri and E. Sappa), 127
Ruthenium carbonyl carboxylates with nitrogen-containing ligands: II. Synthesis and characterization of mononuclear compounds (P. Frediani, M. Bianchi, A. Salvini, R. Guarducci, L.C. Carluccio and F. Piacenti), 7

Carboxamide
Carbamoyl complexes as a source of isocyanates or carbamyl chlorides (P. Giannoccaro, I. Tommasi and M. Aresta), 13

Carboxylate
Ruthenium carbonyl carboxylates with nitrogen-containing ligands: II. Synthesis and characterization of mononuclear compounds (P. Frediani, M. Bianchi, A. Salvini, R. Guarducci, L.C. Carluccio and F. Piacenti), 7

Catalysis
First use of methyl formate with no extra carbon monoxide in the hydroesterification of ethene catalysed by palladium complexes (J. Grévin and P. Kalck), C23
On the mechanism of the platinum(0)–acid catalysed hydrogenation of alkenes (U. Matteoli, A. Scrivanti and S. Paganelli), 145

Chelates
Zur Reaktivität von Komplexen [L_nM=E=ML_n] (E = Ge, Sn, Pb; L_n = Cp′$(CO)_2$Mn) mit den Chelatliganden 1,10-Phenanthrolin, Tetramethylethylendiamin und 1,8-Oxo-Chinolat (F. Ettel, M. Schollenberger, B. Schiemenz, G. Huttner und L. Zsolnai), 153

Chirality
A simple route to chiral ferrocenyl alcohols (J. Wright, L. Frambes and P. Reeves), 215
Chloroformamide
Carbamoyl complexes as a source of isocyanates or carbamyl chlorides (P. Giannoccaro, I. Tommasi and M. Aresta), 13
Chromium
Cationic arenetricarbonylmanganese complexes: addition of α-anionic Fischer type carbenes (F. Rose-Munch, C. Susanne, F. Balssa and E. Rose), C25
1,3-Dipolar cycloaddition reactions of alkenylalkoxycarbene chromium complexes (C. Baldoli, P. Del Buttero, E. Licandro, S. Maiorana, A. Papagni and A. Zanotti-Gerosa), C27
Reactions of coordinated ligands. VIII. Phosphinoformic acids RR'PCOOH (R, R' = organyl, H), the still unknown P-analogues of carbaminic acids, stabilized as ligands in complexes $(CO)_5MPRR'COOH$ (M = Cr, W) (K. Diemert, T. Hahn and W. Kuchen), 173
Some remarks on the Pd^0/Cu^I-catalysed alkynylation reaction of tricarbonyl(η^6-chlorobenzene)chromium (A. Gryff-Keller, J. Prejzner, J. Szewczyk and K. Wiśniewski), 231
The synthesis and X-ray study of (η^6-benzamide)- and (η^6-phenylacetamide)tricarbonyl chromium complexes. Structural effects of the substituent (M.M. Kubicki, P. Richard, B. Gautheron, M. Viotte, Š. Toma, M. Hudecek and V. Gajda), 55
Clusters
Ruthenium carbonyl cluster complexes with oxygen ligands. Reactions between $Ru_3(CO)_{12}$ and 4-methoxyphenol or 2-naphthol. Crystal structure of $Ru_4(\mu_3\text{-}OC_6H_4OMe\text{-}4)_2(\mu\text{-}Cl)(\mu\text{-}OC_6H_4OMe\text{-}4)(CO)_{10}$, an unusual mixed-valence cluster complex (T.P. Jeynes, M.P. Cifuentes, M.G. Humphrey, G.A. Koutsantonis and C.L. Raston), 133
Complex
Carbamoyl complexes as a source of isocyanates or carbamyl chlorides (P. Giannoccaro, I. Tommasi and M. Aresta), 13
Copper
Some remarks on the Pd^0/Cu^I-catalysed alkynylation reaction of tricarbonyl(η^6-chlorobenzene)chromium (A. Gryff-Keller, J. Prejzner, J. Szewczyk and K. Wiśniewski), 231
Crystal structure
Novel acetylene complexes of titanocene and permethyltitanocene without additional ligands. Synthesis, spectral characteristics and X-ray diffraction study (V.V. Burlakov, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov, V.B. Shur, M.E. Vol'pin, U. Rosenthal and H. Görls), 197
Preparation and crystal structure of *fac*-[Mo(bpt)$(CO)_3$][bpt = 1,3-bis(2-pyridyl)-1-thiapropane] (M.C. Durrant, C. Hauser, D.L. Hughes, M.J. Maguire and R.L. Richards), 219
Pseudoelementverbindungen. VI. Organometallierung von Arylpseudochalkogenosulfonaten $[RSO_2Y]^-$ (Y = NCN, $C(CN)_2$) —Kristall- und Molekülstruktur von $4\text{-}MeC_6H_4SO_2\text{–}NCN\text{–}SnMe_3 \cdot H_2O$ (L. Jäger, B. Freude, A. Krug und H. Hartung), 163
Ruthenium carbonyl cluster complexes with oxygen ligands. Reactions between $Ru_3(CO)_{12}$ and 4-methoxyphenol or 2-naphthol. Crystal structure of $Ru_4(\mu_3\text{-}OC_6H_4OMe\text{-}4)_2(\mu\text{-}Cl)(\mu\text{-}OC_6H_4OMe\text{-}4)(CO)_{10}$, an unusual mixed-valence cluster complex (T.P. Jeynes, M.P. Cifuentes, M.G. Humphrey, G.A. Koutsantonis and C.L. Raston), 133
Synthesis, structure and reactions of $[(BuSn)_{12}O_{14}(OH)_6]Cl_2 \cdot 2H_2O$: solution studies using ^{119}Sn NMR and electrospray mass spectrometry (D. Dakternieks, H. Zhu, E.R.T. Tiekink and R. Colton), 33
The behaviour of 2-methylene-3-ferrocenylmethylenecamphane under conditions leading to the cyclodimerization of ferrocenyl-1,3-butadienes (V.N. Postnov, E.I. Klimova, M. Martinez Garcia, N.N. Meleshonkova, V.V. Rybakov and L.A. Aslanov), 189
Cyclodimerization
The behaviour of 2-methylene-3-ferrocenylmethylenecamphane under conditions leading to the cyclodimerization of ferrocenyl-1,3-butadienes (V.N. Postnov, E.I. Klimova, M. Martinez Garcia, N.N. Meleshonkova, V.V. Rybakov and L.A. Aslanov), 189
Cyclopentadienyl
Decasubstituted decaphenylmetallocenes (R.H. Lowack and K.P.C. Vollhardt), 25
Reactivity of U–H and U–C bonds in electron poor cyclopentadienyluranium complexes: electronic effects (D. Baudry, A. Dormond and I. Alaoui Abdallaoui), C15

Dehydrogenation
Dehydrogenative coupling reactions between hydrosilanes and monosubstituted alkynes catalyzed by solid bases (M. Itoh, M. Mitsuzuka, T. Utsumi, K. Iwata and K. Inoue), C30
Denitrosylation
Synthesis of *trans*-[$Re(NO)_2$-$(Ph_2PCH_2CH_2PPh_2)_2$][BF_4], a formal dinitrosyl complex of rhenium(-I) and its protic denitrosylation. X-Ray structure of *trans*-[$ReF(NO)(Ph_2PCH_2CH_2\text{-}PPh_2)_2$][$BF_4$] (Y. Wang, J.J.R. Fraústo da Silva, A.J.L. Pombeiro, M.A. Pellinghelli and A. Tiripicchio), C9
Dinuclear
Reaction of folded acetate-bridged *ortho*-palladated complexes with CH_2Cl_2. Crystal structure of [{$Pd(C_6H_5\text{–}CH_2\text{–}N = C\text{–}(COC_6H_5)\text{–}C_6H_4)(\mu\text{-}Cl)\}_2$] (C. Navarro-Ranninger, I. López-Solera, A. Alvarez-Valdés, J.H. Rodríguez, J.R. Masaguer, J.L. García-Ruano and X. Solans), 19
Diphosphine
Facile ligand transformation from bridging thio to terminal chloromethanethiolato. Bridge opening of $[Pt(\mu\text{-}S)(dppf)]_2$ by Dichloromethane to give $Pt(SCH_2Cl)_2(dppf)$ [dppf = $Fe(C_5H_4PPh_2)_2$] (M. Zhou, C.F. Lam, K.F. Mok, P.-H. Leung and T.S.A. Hor), C32
Protonation of diphosphine and phosphite derivatives of dodecacarbonyltriruthenium (S.E. Kabir, A. Miah, K. Uddin and A.J. Deeming), 121
Trichlorostannato(diphosphine)rhodium(I) complexes. Crystal structure of [$Rh(SnCl_3)$(1,5-cyclooctadiene)(dppp)] (V. García, M.A. Garralda, R. Hernández, M.A. Monge and E. Pinilla), 41
1,3-Dipolar addition
1,3-Dipolar cycloaddition reactions of alkenylalkoxycarbene chromium complexes (C. Baldoli, P. Del Buttero, E. Licandro, S. Maiorana, A. Papagni and A. Zanotti-Gerosa), C27

Electrochemistry
Redox-active lithium-selective ionophores based on new 2,9-bis(ferrocenyl) substituted phenanthroline derivatives (P.D. Beer, J.P. Danks, M.G.B. Drew and J.F. McAleer), 63
Structure and electroreduction of Sb^tBuCl_2. Reactivity and electrochemical behaviour of $(Sb^tBu)_4$ (Y. Mourad, A. Atmani, Y. Mugnier, H.J. Breunig and K.H. Ebert), 47
Electron deficiency
Reactivity of U–H and U–C bonds in electron poor cyclopentadienyluranium complexes: electronic effects (D. Baudry, A. Dormond and I. Alaoui Abdallaoui), C15

Electronic effects
Reactivity of U–H and U–C bonds in electron poor cyclopentadienyluranium complexes: electronic effects (D. Baudry, A. Dormond and I. Alaoui Abdallaoui), C15
Electrophilic attack
Synthesis of *trans*-[Re(NO)$_2$-(Ph$_2$PCH$_2$CH$_2$PPh$_2$)$_2$][BF$_4$], a formal dinitrosyl complex of rhenium(-I) and its protic denitrosylation. X-Ray structure of *trans*-[ReF(NO)(Ph$_2$PCH$_2$CH$_2$-PPh$_2$)$_2$][BF$_4$] (Y. Wang, J.J.R. Fraústo da Silva, A.J.L. Pombeiro, M.A. Pellinghelli and A. Tiripicchio), C9
Electrospray mass spectra
Synthesis, structure and reactions of [(BuSn)$_{12}$O$_{14}$(OH)$_6$]Cl$_2$·2H$_2$O: solution studies using ^{119}Sn NMR and electrospray mass spectrometry (D. Dakternieks, H. Zhu, E.R.T. Tiekink and R. Colton), 33
Enantioselective synthesis
A simple route to chiral ferrocenyl alcohols (J. Wright, L. Frambes and P. Reeves), 215
Ethene
First use of methyl formate with no extra carbon monoxide in the hydroesterification of ethene catalysed by palladium complexes (J. Grévin and P. Kalck), C23

Ferrocene
Facile ligand transformation from bridging thio to terminal chloromethanethiolato. Bridge opening of [Pt(μ-S)(dppf)]$_2$ by Dichloromethane to give Pt(SCH$_2$Cl)$_2$(dppf) [dppf = Fe(C$_5$H$_4$PPh$_2$)$_2$] (M. Zhou, C.F. Lam, K.F. Mok, P.-H. Leung and T.S.A. Hor), C32
Redox-active lithium-selective ionophores based on new 2,9-bis(ferrocenyl) substituted phenanthroline derivatives (P.D. Beer, J.P. Danks, M.G.B. Drew and J.F. McAleer), 63
Ferrocene derivatives
A simple route to chiral ferrocenyl alcohols (J. Wright, L. Frambes and P. Reeves), 215
Fluxionality
Protonation of diphosphine and phosphite derivatives of dodecacarbonyltriruthenium (S.E. Kabir, A. Miah, K. Uddin and A.J. Deeming), 121
Ruthenium carbonyl cluster complexes with oxygen ligands. Reactions between Ru$_3$(CO)$_{12}$ and 4-methoxyphenol or 2-naphthol. Crystal structure of Ru$_4$(μ_3-OC$_6$H$_4$OMe-4)$_2$(μ-Cl)-(μ-OC$_6$H$_4$OMe-4)(CO)$_{10}$, an unusual mixed-valence cluster complex (T.P. Jeynes, M.P. Cifuentes, M.G. Humphrey, G.A. Koutsantonis and C.L. Raston), 133
Fullerene
The first ruthenium carbonyl derivative of fullerene: (η^2-C$_{60}$)Ru(CO)$_4$ (M. Rasinkangas, T.T. Pakkanen and T.A. Pakkanen), C6

Half-sandwich type complex
Untersuchungen zur Reaktivität der Carboxylatorhodium(I)-Komplexe [Rh(η^2-O$_2$CR)(P*i*Pr$_3$)$_2$] (R = CF$_3$,CH$_3$) gegenüber H$_2$, O$_2$, CO, CF$_3$CO$_2$H, Ethen und Cyclopentadien (M. Schäfer, J. Wolf und H. Werner), 85
High-performance liquid chromatography
Applications of HPLC–MS to carbonyl clusters of the iron triad. The behaviour of dinuclear "flyover-bridged" iron compounds (M. Careri, A. Mangia, P. Manini, G. Predieri and E. Sappa), 127
Host–guest species
Redox-active lithium-selective ionophores based on new 2,9-bis(ferrocenyl) substituted phenanthroline derivatives (P.D. Beer, J.P. Danks, M.G.B. Drew and J.F. McAleer), 63

Hydride
Protonation of diphosphine and phosphite derivatives of dodecacarbonyltriruthenium (S.E. Kabir, A. Miah, K. Uddin and A.J. Deeming), 121
Hydroesterification
First use of methyl formate with no extra carbon monoxide in the hydroesterification of ethene catalysed by palladium complexes (J. Grévin and P. Kalck), C23
Hydrogenation
On the mechanism of the platinum(0)–acid catalysed hydrogenation of alkenes (U. Matteoli, A. Scrivanti and S. Paganelli), 145
Hydrogen bonding
The synthesis and X-ray study of (η^6-benzamide)- and (η^6-phenylacetamide)tricarbonyl chromium complexes. Structural effects of the substituent (M.M. Kubicki, P. Richard, B. Gautheron, M. Viotte, Š. Toma, M. Hudecek and V. Gajda), 55
Hydrosilane
Dehydrogenative coupling reactions between hydrosilanes and monosubstituted alkynes catalyzed by solid bases (M. Itoh, M. Mitsuzuka, T. Utsumi, K. Iwata and K. Inoue), C30

Infrared spectroscopy
Novel acetylene complexes of titanocene and permethyltitanocene without additional ligands. Synthesis, spectral characteristics and X-ray diffraction study (V.V. Burlakov, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov, V.B. Shur, M.E. Vol'pin, U. Rosenthal and H. Görls), 197
Iridium
π-Olefin–Iridium-Komplexe. XX. Kristallstruktur von Bis(η^4-cyclohexa-1,3-dien)(2-furyl)iridium und Reaktivität von Bis(η^4-cyclohexa-1,3-dien)- iridiumheteroaryl-Komplexen (J. Müller, C. Friedrich, T. Akhnoukh und K. Qiao), 93
Iron
A simple route to chiral ferrocenyl alcohols (J. Wright, L. Frambes and P. Reeves), 215
Applications of HPLC–MS to carbonyl clusters of the iron triad. The behaviour of dinuclear "flyover-bridged" iron compounds (M. Careri, A. Mangia, P. Manini, G. Predieri and E. Sappa), 127
Redox-active lithium-selective ionophores based on new 2,9-bis(ferrocenyl) substituted phenanthroline derivatives (P.D. Beer, J.P. Danks, M.G.B. Drew and J.F. McAleer), 63
The behaviour of 2-methylene-3-ferrocenylmethylenecamphane under conditions leading to the cyclodimerization of ferrocenyl-1,3-butadienes (V.N. Postnov, E.I. Klimova, M. Martinez Garcia, N.N. Meleshonkova, V.V. Rybakov and L.A. Aslanov), 189
Übergangsmetall-Heteroallen-Komplexe. XXVII. Bis(trifluormethyl)keten als Komplexligand (M. Wiederhold und U. Behrens), 101
Isocyanates
Carbamoyl complexes as a source of isocyanates or carbamyl chlorides (P. Giannoccaro, I. Tommasi and M. Aresta), 13

Kinetic studies
Synthesis of (η^6-C$_{13}$H$_{10}$)Mn(CO)$_2$LPF$_6$ and (η^6-C$_{13}$H$_9$)-Mn(CO)$_2$L complexes (L = phosphines and phosphites) and kinetic studies of η^6 to η^5 ring slippage reactions (R.N. Biagioni, A.D. Luna and J.L. Murphy), 183

Lead
Decasubstituted decaphenylmetallocenes (R.H. Lowack and K.P.C. Vollhardt), 25

Nucleophile und oxidative Addition von S–R-Bausteinen an Heterometallacumulene (F. Ettel, M. Schollenberger, B. Schiemenz, W. Imhof, G. Huttner and L. Zsolnai), 207
Pseudoelementverbindungen. VI. Organometallierung von Arylpseudochalkogenosulfonaten $[RSO_2Y]^-$ (Y = NCN, $C(CN)_2$) —Kristall- und Molekülstruktur von 4-$MeC_6H_4SO_2$–NCN–$SnMe_3 \cdot H_2O$ (L. Jäger, B. Freude, A. Krug und H. Hartung), 163

Lithium
Redox-active lithium-selective ionophores based on new 2,9-bis(ferrocenyl) substituted phenanthroline derivatives (P.D. Beer, J.P. Danks, M.G.B. Drew and J.F. McAleer), 63
Synthese von 1,2-Bis(silyl)indolen unter Anionischer 1,2-Silatropie (A. Frenzel, U. Klingebiel, W. Lüttke and U. Pieper), 73

Magnesium oxide
Dehydrogenative coupling reactions between hydrosilanes and monosubstituted alkynes catalyzed by solid bases (M. Itoh, M. Mitsuzuka, T. Utsumi, K. Iwata and K. Inoue), C30

Manganese
Cationic arenetricarbonylmanganese complexes: addition of α-anionic Fischer type carbenes (F. Rose-Munch, C. Susanne, F. Balssa and E. Rose), C25
Metallorganische Chemie des Technetiums. XI. Synthese, Charakterisierung und Röntgenstrukturanalyse von η^5-Tetramethylazacyclopentadienyltechnetiumtricarbonyl (Me_4C_4N)-$Tc(CO)_3 \cdot HNC_4Me_4$ und seinen Mn- und Re-Homologen (J.E. Joachim, C. Apostolidis, B. Kanellakopulos, D. Meyer, K. Raptis, J. Rebizant und M.L. Ziegler), 77
Nucleophile und oxidative Addition von S–R-Bausteinen an Heterometallacumulene (F. Ettel, M. Schollenberger, B. Schiemenz, W. Imhof, G. Huttner and L. Zsolnai), 207
Synthesis of (η^6-$C_{13}H_{10}$)$Mn(CO)_2LPF_6$ and (η^6-$C_{13}H_9$)-$Mn(CO)_2L$ complexes (L = phosphines and phosphites) and kinetic studies of η^6 to η^5 ring slippage reactions (R.N. Biagioni, A.D. Luna and J.L. Murphy), 183
Zur Reaktivität von Komplexen $[L_nM{=}E{=}ML_n]$ (E = Ge, Sn, Pb; L_n = $Cp'(CO)_2Mn$) mit den Chelatliganden 1,10-Phenanthrolin, Tetramethylethylendiamin und 1,8-Oxo-Chinolat (F. Ettel, M. Schollenberger, B. Schiemenz, G. Huttner und L. Zsolnai), 153

Mass spectrometry
Applications of HPLC–MS to carbonyl clusters of the iron triad. The behaviour of dinuclear "flyover-bridged" iron compounds (M. Careri, A. Mangia, P. Manini, G. Predieri and E. Sappa), 127

Metallocenes
Decasubstituted decaphenylmetallocenes (R.H. Lowack and K.P.C. Vollhardt), 25

Molybdenum
Preparation and crystal structure of *fac*-[Mo(bpt)$(CO)_3$][bpt = 1,3-bis(2-pyridyl)-1-thiapropane] (M.C. Durrant, C. Hauser, D.L. Hughes, M.J. Maguire and R.L. Richards), 219

Nickel
Übergangsmetall-Heteroallen-Komplexe. XXVII. Bis(trifluormethyl)keten als Komplexligand (M. Wiederhold und U. Behrens), 101

Nitric oxide
Synthesis of *trans*-[$Re(NO)_2$-($Ph_2PCH_2CH_2PPh_2$)$_2$][BF_4], a formal dinitrosyl complex of rhenium(-I) and its protic denitrosylation. X-Ray structure of *trans*-[ReF(NO)($Ph_2PCH_2CH_2$-PPh_2)$_2$][BF_4] (Y. Wang, J.J.R. Fraústo da Silva, A.J.L. Pombeiro, M.A. Pellinghelli and A. Tiripicchio), C9

Nitrosyl
Synthesis of *trans*-[$Re(NO)_2$-($Ph_2PCH_2CH_2PPh_2$)$_2$][BF_4], a formal dinitrosyl complex of rhenium(-I) and its protic denitrosylation. X-Ray structure of *trans*-[ReF(NO)($Ph_2PCH_2CH_2$-PPh_2)$_2$][BF_4] (Y. Wang, J.J.R. Fraústo da Silva, A.J.L. Pombeiro, M.A. Pellinghelli and A. Tiripicchio), C9

Nuclear magnetic resonance
Novel acetylene complexes of titanocene and permethyltitanocene without additional ligands. Synthesis, spectral characteristics and X-ray diffraction study (V.V. Burlakov, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov, V.B. Shur, M.E. Vol'pin, U. Rosenthal and H. Görls), 197
Reactivity of acetate-bridged cyclopalladated complexes. ^1H and ^{13}C NMR studies of some monomeric derivatives of *N*-(4-methoxyphenyl)-α-benzoylbenzylideneamine (J.L. García-Ruano, I. López-Solera, J.R. Masaguer, M.A. Monge, C. Navarro-Ranninger and J.H. Rodríguez), 111
Ruthenium carbonyl carboxylates with nitrogen-containing ligands: II. Synthesis and characterization of mononuclear compounds (P. Frediani, M. Bianchi, A. Salvini, R. Guarducci, L.C. Carluccio and F. Piacenti), 7

Ortho metallation
Reaction of folded acetate-bridged *ortho*-palladated complexes with CH_2Cl_2. Crystal structure of [{$Pd(C_6H_5$–CH_2–N = C–(COC_6H_5)–$C_6H_4)(\mu$-Cl)$\}_2$] (C. Navarro-Ranninger, I. López-Solera, A. Alvarez-Valdés, J.H. Rodríguez, J.R. Masaguer, J.L. García-Ruano and X. Solans), 19

Orthometallation
Reactivity of acetate-bridged cyclopalladated complexes. ^1H and ^{13}C NMR studies of some monomeric derivatives of *N*-(4-methoxyphenyl)-α-benzoylbenzylideneamine (J.L. García-Ruano, I. López-Solera, J.R. Masaguer, M.A. Monge, C. Navarro-Ranninger and J.H. Rodríguez), 111

Oxidative addition
Untersuchungen zur Reaktivität der Carboxylatorhodium(I)-Komplexe [$Rh(\eta^2$-$O_2CR)(PiPr_3)_2$] (R = CF_3,CH_3) gegenüber H_2, O_2, CO, CF_3CO_2H, Ethen und Cyclopentadien (M. Schäfer, J. Wolf und H. Werner), 85

Palladium
Carbamoyl complexes as a source of isocyanates or carbamyl chlorides (P. Giannoccaro, I. Tommasi and M. Aresta), 13
First use of methyl formate with no extra carbon monoxide in the hydroesterification of ethene catalysed by palladium complexes (J. Grévin and P. Kalck), C23
Reaction of folded acetate-bridged *ortho*-palladated complexes with CH_2Cl_2. Crystal structure of [{$Pd(C_6H_5$–CH_2–N = C–(COC_6H_5)–$C_6H_4)(\mu$-Cl)$\}_2$] (C. Navarro-Ranninger, I. López-Solera, A. Alvarez-Valdés, J.H. Rodríguez, J.R. Masaguer, J.L. García-Ruano and X. Solans), 19
Reactivity of acetate-bridged cyclopalladated complexes. ^1H and ^{13}C NMR studies of some monomeric derivatives of *N*-(4-methoxyphenyl)-α-benzoylbenzylideneamine (J.L. García-Ruano, I. López-Solera, J.R. Masaguer, M.A. Monge, C. Navarro-Ranninger and J.H. Rodríguez), 111
Some remarks on the Pd^0/Cu^I-catalysed alkynylation reaction of tricarbonyl(η^6-chlorobenzene)chromium (A. Gryff-Keller, J. Prejzner, J. Szewczyk and K. Wiśniewski), 231

Phenanthroline
Redox-active lithium-selective ionophores based on new 2,9-bis(ferrocenyl) substituted phenanthroline derivatives (P.D. Beer, J.P. Danks, M.G.B. Drew and J.F. McAleer), 63

Phenols
Ruthenium carbonyl cluster complexes with oxygen ligands. Reactions between $Ru_3(CO)_{12}$ and 4-methoxyphenol or 2-naphthol. Crystal structure of $Ru_4(\mu_3\text{-}OC_6H_4OMe\text{-}4)_2(\mu\text{-}Cl)(\mu\text{-}OC_6H_4OMe\text{-}4)(CO)_{10}$, an unusual mixed-valence cluster complex (T.P. Jeynes, M.P. Cifuentes, M.G. Humphrey, G.A. Koutsantonis and C.L. Raston), 133
Phosphine
Carbamoyl complexes as a source of isocyanates or carbamyl chlorides (P. Giannoccaro, I. Tommasi and M. Aresta), 13
Facile ligand transformation from bridging thio to terminal chloromethanethiolato. Bridge opening of $[Pt(\mu\text{-}S)(dppf)]_2$ by Dichloromethane to give $Pt(SCH_2Cl)_2(dppf)$ [dppf = $Fe(C_5H_4PPh_2)_2$] (M. Zhou, C.F. Lam, K.F. Mok, P.-H. Leung and T.S.A. Hor), C32
Reactions of coordinated ligands. VIII. Phosphinoformic acids RR′PCOOH (R, R′ = organyl, H), the still unknown P-analogues of carbaminic acids, stabilized as ligands in complexes $(CO)_5MPRR'COOH$ (M = Cr, W) (K. Diemert, T. Hahn and W. Kuchen), 173
Phosphine complexes
Trichlorostannato(diphosphine)rhodium(I) complexes. Crystal structure of [Rh($SnCl_3$)(1,5-cyclooctadiene)(dppp)] (V. García, M.A. Garralda, R. Hernández, M.A. Monge and E. Pinilla), 41
Phosphines
Synthesis of $(\eta^6\text{-}C_{13}H_{10})Mn(CO)_2LPF_6$ and $(\eta^6\text{-}C_{13}H_9)\text{-}Mn(CO)_2L$ complexes (L = phosphines and phosphites) and kinetic studies of η^6 to η^5 ring slippage reactions (R.N. Biagioni, A.D. Luna and J.L. Murphy), 183
Phosphinoformic acid
Reactions of coordinated ligands. VIII. Phosphinoformic acids RR′PCOOH (R, R′ = organyl, H), the still unknown P-analogues of carbaminic acids, stabilized as ligands in complexes $(CO)_5MPRR'COOH$ (M = Cr, W) (K. Diemert, T. Hahn and W. Kuchen), 173
Phosphite
Protonation of diphosphine and phosphite derivatives of dodecacarbonyltriruthenium (S.E. Kabir, A. Miah, K. Uddin and A.J. Deeming), 121
Phosphites
Synthesis of $(\eta^6\text{-}C_{13}H_{10})Mn(CO)_2LPF_6$ and $(\eta^6\text{-}C_{13}H_9)\text{-}Mn(CO)_2L$ complexes (L = phosphines and phosphites) and kinetic studies of η^6 to η^5 ring slippage reactions (R.N. Biagioni, A.D. Luna and J.L. Murphy), 183
Phosphorus
π-Olefin–Iridium-Komplexe. XX. Kristallstruktur von Bis(η^4-cyclohexa-1,3-dien)(2-furyl)iridium und Reaktivität von Bis-(η^4-cyclohexa-1,3-dien)- iridiumheteroaryl-Komplexen (J. Müller, C. Friedrich, T. Akhnoukh und K. Qiao), 93
Untersuchungen zur Reaktivität der Carboxylatorhodium(I)-Komplexe $[Rh(\eta^2\text{-}O_2CR)(PiPr_3)_2]$ (R = CF_3,CH_3) gegenüber H_2, O_2, CO, CF_3CO_2H, Ethen und Cyclopentadien (M. Schäfer, J. Wolf und H. Werner), 85
Platinum
Facile ligand transformation from bridging thio to terminal chloromethanethiolato. Bridge opening of $[Pt(\mu\text{-}S)(dppf)]_2$ by Dichloromethane to give $Pt(SCH_2Cl)_2(dppf)$ [dppf = $Fe(C_5H_4PPh_2)_2$] (M. Zhou, C.F. Lam, K.F. Mok, P.-H. Leung and T.S.A. Hor), C32
On the mechanism of the platinum(0)–acid catalysed hydrogenation of alkenes (U. Matteoli, A. Scrivanti and S. Paganelli), 145
Polymer
Zur Darstellung neuer Organosiliciumpolymere aus speziell substituierten Silyltriflatderivaten (W. Uhlig), 225
Pyridine-thioether
Preparation and crystal structure of *fac*-[Mo(bpt)$(CO)_3$][bpt = 1,3-bis(2-pyridyl)-1-thiapropane] (M.C. Durrant, C. Hauser, D.L. Hughes, M.J. Maguire and R.L. Richards), 219
Rhenium
Metallorganische Chemie des Technetiums. XI. Synthese, Charakterisierung und Röntgenstrukturanalyse von η^5-Tetramethylazacyclopentadienyltechnetiumtricarbonyl $(Me_4C_4N)\text{-}Tc(CO)_3 \cdot HNC_4Me_4$ und seinen Mn- und Re-Homologen (J.E. Joachim, C. Apostolidis, B. Kanellakopulos, D. Meyer, K. Raptis, J. Rebizant und M.L. Ziegler), 77
Synthesis of *trans*-[$Re(NO)_2$- $(Ph_2PCH_2CH_2PPh_2)_2$][BF_4], a formal dinitrosyl complex of rhenium(-I) and its protic denitrosylation. X-Ray structure of *trans*-[ReF(NO)$(Ph_2PCH_2\text{-}CH_2PPh_2)_2$][$BF_4$] (Y. Wang, J.J.R. Fraústo da Silva, A.J.L. Pombeiro, M.A. Pellinghelli and A. Tiripicchio), C9
Rhodium
Trichlorostannato(diphosphine)rhodium(I) complexes. Crystal structure of [Rh($SnCl_3$)(1,5-cyclooctadiene)(dppp)] (V. García, M.A. Garralda, R. Hernández, M.A. Monge and E. Pinilla), 41
Untersuchungen zur Reaktivität der Carboxylatorhodium(I)-Komplexe $[Rh(\eta^2\text{-}O_2CR)(PiPr_3)_2]$ (R = CF_3,CH_3) gegenüber H_2, O_2, CO, CF_3CO_2H, Ethen und Cyclopentadien (M. Schäfer, J. Wolf und H. Werner), 85
Ring slippage
Synthesis of $(\eta^6\text{-}C_{13}H_{10})Mn(CO)_2LPF_6$ and $(\eta^6\text{-}C_{13}H_9)\text{-}Mn(CO)_2L$ complexes (L = phosphines and phosphites) and kinetic studies of η^6 to η^5 ring slippage reactions (R.N. Biagioni, A.D. Luna and J.L. Murphy), 183
Ruthenium
Protonation of diphosphine and phosphite derivatives of dodecacarbonyltriruthenium (S.E. Kabir, A. Miah, K. Uddin and A.J. Deeming), 121
Ruthenium carbonyl carboxylates with nitrogen-containing ligands: II. Synthesis and characterization of mononuclear compounds (P. Frediani, M. Bianchi, A. Salvini, R. Guarducci, L.C. Carluccio and F. Piacenti), 7
Ruthenium carbonyl cluster complexes with oxygen ligands. Reactions between $Ru_3(CO)_{12}$ and 4-methoxyphenol or 2-naphthol. Crystal structure of $Ru_4(\mu_3\text{-}OC_6H_4OMe\text{-}4)_2(\mu\text{-}Cl)(\mu\text{-}OC_6H_4OMe\text{-}4)(CO)_{10}$, an unusual mixed-valence cluster complex (T.P. Jeynes, M.P. Cifuentes, M.G. Humphrey, G.A. Koutsantonis and C.L. Raston), 133
The first ruthenium carbonyl derivative of fullerene: $(\eta^2\text{-}C_{60})Ru(CO)_4$ (M. Rasinkangas, T.T. Pakkanen and T.A. Pakkanen), C6
Silane
Synthese von 1,2-Bis(silyl)indolen unter Anionischer 1,2-Silatropie (A. Frenzel, U. Klingebiel, W. Lüttke and U. Pieper), 73
Silicon
Pseudoelementverbindungen. VI. Organometallierung von Arylpseudochalkogenosulfonaten $[RSO_2Y]^-$ (Y = NCN, $C(CN)_2$) —Kristall- und Molekülstruktur von $4\text{-}MeC_6H_4SO_2\text{–}NCN\text{–}SnMe_3 \cdot H_2O$ (L. Jäger, B. Freude, A. Krug und H. Hartung), 163
Silyl
Synthese von 1,2-Bis(silyl)indolen unter Anionischer 1,2-Silatropie (A. Frenzel, U. Klingebiel, W. Lüttke and U. Pieper), 73
Zur Darstellung neuer Organosiliciumpolymere aus speziell substituierten Silyltriflatderivaten (W. Uhlig), 225
Solid base catalyst
Dehydrogenative coupling reactions between hydrosilanes and monosubstituted alkynes catalyzed by solid bases (M. Itoh, M. Mitsuzuka, T. Utsumi, K. Iwata and K. Inoue), C30

Sulfide
Facile ligand transformation from bridging thio to terminal chloromethanethiolato. Bridge opening of $[Pt(\mu\text{-}S)(dppf)]_2$ by Dichloromethane to give $Pt(SCH_2Cl)_2(dppf)$ [dppf = $Fe(C_5H_4PPh_2)_2$] (M. Zhou, C.F. Lam, K.F. Mok, P.-H. Leung and T.S.A. Hor), C32
Sulfur
Nucleophile und oxidative Addition von S–R-Bausteinen an Heterometallacumulene (F. Ettel, M. Schollenberger, B. Schiemenz, W. Imhof, G. Huttner and L. Zsolnai), 207
Synthesis
Carbamoyl complexes as a source of isocyanates or carbamyl chlorides (P. Giannoccaro, I. Tommasi and M. Aresta), 13
Reactivity of U–H and U–C bonds in electron poor cyclopentadienyluranium complexes: electronic effects (D. Baudry, A. Dormond and I. Alaoui Abdallaoui), C15

Technetium
Metallorganische Chemie des Technetiums. XI. Synthese, Charakterisierung und Röntgenstrukturanalyse von η^5-Tetramethylazacyclopentadienyltechnetiumtricarbonyl (Me_4C_4N)-$Tc(CO)_3 \cdot HNC_4Me_4$ und seinen Mn- und Re-Homologen (J.E. Joachim, C. Apostolidis, B. Kanellakopulos, D. Meyer, K. Raptis, J. Rebizant und M.L. Ziegler), 77
Thiolate
Facile ligand transformation from bridging thio to terminal chloromethanethiolato. Bridge opening of $[Pt(\mu\text{-}S)(dppf)]_2$ by Dichloromethane to give $Pt(SCH_2Cl)_2(dppf)$ [dppf = $Fe(C_5H_4PPh_2)_2$] (M. Zhou, C.F. Lam, K.F. Mok, P.-H. Leung and T.S.A. Hor), C32
Tin
Decasubstituted decaphenylmetallocenes (R.H. Lowack and K.P.C. Vollhardt), 25
Nucleophile und oxidative Addition von S–R-Bausteinen an Heterometallacumulene (F. Ettel, M. Schollenberger, B. Schiemenz, W. Imhof, G. Huttner and L. Zsolnai), 207
Pseudoelementverbindungen. VI. Organometallierung von Arylpseudochalkogenosulfonaten $[RSO_2Y]^-$ (Y = NCN, $C(CN)_2$) —Kristall- und Molekülstruktur von 4-$MeC_6H_4SO_2$–NCN–$SnMe_3 \cdot H_2O$ (L. Jäger, B. Freude, A. Krug und H. Hartung), 163
Structure and electroreduction of Sb^tBuCl_2. Reactivity and electrochemical behaviour of $(Sb^tBu)_4$ (Y. Mourad, A. Atmani, Y. Mugnier, H.J. Breunig and K.H. Ebert), 47
Synthesis, structure and reactions of $[(BuSn)_{12}O_{14}(OH)_6]Cl_2 \cdot 2H_2O$: solution studies using ^{119}Sn NMR and electrospray mass spectrometry (D. Dakternieks, H. Zhu, E.R.T. Tiekink and R. Colton), 33
Trichlorostannato(diphosphine)rhodium(I) complexes. Crystal structure of [Rh($SnCl_3$)(1,5-cyclooctadiene)(dppp)] (V. García, M.A. Garralda, R. Hernández, M.A. Monge and E. Pinilla), 41
Tin cluster
Synthesis, structure and reactions of $[(BuSn)_{12}O_{14}(OH)_6]Cl_2 \cdot 2H_2O$: solution studies using ^{119}Sn NMR and electrospray mass spectrometry (D. Dakternieks, H. Zhu, E.R.T. Tiekink and R. Colton), 33
Titanium
Novel acetylene complexes of titanocene and permethyltitanocene without additional ligands. Synthesis, spectral characteristics and X-ray diffraction study (V.V. Burlakov, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov, V.B. Shur, M.E. Vol'pin, U. Rosenthal and H. Görls), 197
Trichlorostannato
Trichlorostannato(diphosphine)rhodium(I) complexes. Crystal structure of [Rh($SnCl_3$)(1,5-cyclooctadiene)(dppp)] (V. García, M.A. Garralda, R. Hernández, M.A. Monge and E. Pinilla), 41
Triflate
Zur Darstellung neuer Organosiliciumpolymere aus speziell substituierten Silyltriflatderivaten (W. Uhlig), 225
Tungsten
Cationic arenetricarbonylmanganese complexes: addition of α-anionic Fischer type carbenes (F. Rose-Munch, C. Susanne, F. Balssa and E. Rose), C25
Reactions of coordinated ligands. VIII. Phosphinoformic acids RR'PCOOH (R, R' = organyl, H), the still unknown P-analogues of carbaminic acids, stabilized as ligands in complexes $(CO)_5MPRR'COOH$ (M = Cr, W) (K. Diemert, T. Hahn and W. Kuchen), 173

Uranium
Reactivity of U–H and U–C bonds in electron poor cyclopentadienyluranium complexes: electronic effects (D. Baudry, A. Dormond and I. Alaoui Abdallaoui), C15

Vanadium
Übergangsmetall-Heteroallen-Komplexe. XXVII. Bis(trifluormethyl)keten als Komplexligand (M. Wiederhold und U. Behrens), 101

X-ray diffraction
Novel acetylene complexes of titanocene and permethyltitanocene without additional ligands. Synthesis, spectral characteristics and X-ray diffraction study (V.V. Burlakov, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov, V.B. Shur, M.E. Vol'pin, U. Rosenthal and H. Görls), 197
Trichlorostannato(diphosphine)rhodium(I) complexes. Crystal structure of [Rh($SnCl_3$)(1,5-cyclooctadiene)(dppp)] (V. García, M.A. Garralda, R. Hernández, M.A. Monge and E. Pinilla), 41
Zur Reaktivität von Komplexen $[L_nM{=}E{=}ML_n]$ (E = Ge, Sn, Pb; L_n = $Cp'(CO)_2Mn$) mit den Chelatliganden 1,10-Phenanthrolin, Tetramethylethylendiamin und 1,8-Oxo-Chinolat (F. Ettel, M. Schollenberger, B. Schiemenz, G. Huttner und L. Zsolnai), 153
X-ray structure
Reaction of folded acetate-bridged *ortho*-palladated complexes with CH_2Cl_2. Crystal structure of $[\{Pd(C_6H_5\text{–}CH_2\text{–}N{=}C\text{–}(COC_6H_5)\text{–}C_6H_4)(\mu\text{-}Cl)\}_2]$ (C. Navarro-Ranninger, I. López-Solera, A. Alvarez-Valdés, J.H. Rodríguez, J.R. Masaguer, J.L. García-Ruano and X. Solans), 19
Structure and electroreduction of Sb^tBuCl_2. Reactivity and electrochemical behaviour of $(Sb^tBu)_4$ (Y. Mourad, A. Atmani, Y. Mugnier, H.J. Breunig and K.H. Ebert), 47
Synthesis of *trans*-$[Re(NO)_2\text{-}(Ph_2PCH_2CH_2PPh_2)_2][BF_4]$, a formal dinitrosyl complex of rhenium(-I) and its protic denitrosylation. X-Ray structure of *trans*-$[ReF(NO)(Ph_2PCH_2CH_2\text{-}PPh_2)_2][BF_4]$ (Y. Wang, J.J.R. Fraústo da Silva, A.J.L. Pombeiro, M.A. Pellinghelli and A. Tiripicchio), C9
The synthesis and X-ray study of (η^6-benzamide)- and (η^6-phenylacetamide)tricarbonyl chromium complexes. Structural effects of the substituent (M.M. Kubicki, P. Richard, B. Gautheron, M. Viotte, Š. Toma, M. Hudecek and V. Gajda), 55

Book Review
Cluster Chemistry: Introduction to the Chemistry of Transition Metal and Main Group Element Molecular Clusters, G. González-Moraga (Ed.) (R.L. Johnston), C18
Metal complexes in Cancer Chemotherapy, Bernhard K. Keppler (Ed.) (J.R. Dilworth), C20
Photosensitisation and Photocatalysis using Inorganic and Organometallic Compounds, K. Kalyanasundarum and M. Grätzel (Ed.) (R.N. Perutz), C19